

Table 1.26
Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity
Both Sexes

All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	178.7	-1.5*	All Sites	177.6	-1.5*	All Sites	216.4	-2.0*
Lung and Bronchus	50.6	-1.6*	Lung and Bronchus	51.2	-1.4*	Lung and Bronchus	55.4	-2.2*
Colon and Rectum	16.7	-3.0*	Colon and Rectum	16.2	-3.1*	Colon and Rectum	23.7	-2.6*
Breast	12.9	-2.2*	Breast	12.5	-2.3*	Breast	18.8	-1.5*
Pancreas	10.8	0.4*	Pancreas	10.7	0.5*	Prostate ^f	18.4	-3.6*
Prostate ^f	9.1	-2.9*	Prostate ^f	8.4	-2.8*	Pancreas	13.8	0.0
Leukemia	7.1	-1.1*	Leukemia	7.3	-1.0*	Liver & IBD ^g	7.3	2.7*
Non-Hodgkin Lymphoma	6.6	-3.0*	Non-Hodgkin Lymphoma	6.8	-3.0*	Stomach	6.9	-3.3*
Liver & IBD ^g	5.5	2.4*	Liver & IBD ^g	5.0	2.5*	Myeloma	6.4	-2.1*
Ovary ^f	4.6	-1.7*	Ovary ^f	4.8	-1.7*	Leukemia	6.2	-1.2*
Urinary Bladder	4.4	0.0	Brain and ONS ^g	4.6	-0.5*	Esophagus	4.6	-4.8*
Esophagus	4.3	-0.5*	Urinary Bladder	4.5	0.2	Non-Hodgkin Lymphoma	4.6	-2.4*
Brain and ONS ^g	4.3	-0.6*	Esophagus	4.4	0.1	Corpus and Uterus, NOS ^f	4.4	0.3
Kidney and Renal Pelvis	4.0	-0.9*	Kidney and Renal Pelvis	4.1	-0.9*	Ovary ^f	4.1	-1.5*
Stomach	3.6	-3.1*	Myeloma	3.2	-1.8*	Kidney and Renal Pelvis	4.0	-0.6*
Myeloma	3.4	-1.8*	Stomach	3.1	-3.3*	Urinary Bladder	3.7	-0.6

Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2005-2009	2000-2009		2005-2009	2000-2009		2005-2009	2000-2009
All Sites	109.5	-1.3*	All Sites	156.2	-0.7	All Sites	119.3	-1.8*
Lung and Bronchus	25.8	-1.1*	Lung and Bronchus	39.6	-0.2	Lung and Bronchus	21.2	-2.3*
Colon and Rectum	11.1	-2.2*	Colon and Rectum	16.4	-0.4	Colon and Rectum	12.4	-1.9*
Liver & IBD ^g	9.9	-1.4*	Breast	9.3	0.4	Pancreas	8.3	-0.1
Pancreas	7.5	0.4	Pancreas	8.8	1.8	Liver & IBD ^g	8.3	1.5*
Stomach	6.8	-3.7*	Liver & IBD ^g	8.6	0.7	Breast	8.2	-1.9*
Breast	6.6	-1.3*	Prostate ^f	7.8	-2.5	Prostate ^f	7.1	-3.1*
Non-Hodgkin Lymphoma	4.2	-2.5*	Kidney and Renal Pelvis	6.2	-0.7	Stomach	5.6	-3.4*
Prostate ^f	4.0	-3.1*	Stomach	5.7	-4.6*	Non-Hodgkin Lymphoma	5.2	-2.2*
Leukemia	3.9	-0.3	Non-Hodgkin Lymphoma	4.7	-3.7	Leukemia	4.8	-1.4*
Ovary ^f	2.8	-0.1	Leukemia	4.6	-1.0	Kidney and Renal Pelvis	3.5	-1.0
Oral Cavity and Pharynx	2.0	-2.8*	Ovary ^f	3.8	-1.6	Ovary ^f	3.3	-1.5*
Kidney and Renal Pelvis	2.0	1.8	Esophagus	3.6	-1.1	Brain and ONS ^g	2.8	-0.5
Brain and ONS ^g	1.9	-0.8	Myeloma	3.0	-3.9	Myeloma	2.7	-2.6*
Esophagus	1.8	0.0	Brain and ONS ^g	2.4	2.6	Esophagus	2.3	-1.1*
Myeloma	1.7	0.1	Oral Cavity and Pharynx	2.2	-2.9*	Urinary Bladder	2.3	-1.3*

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Top 15 cancer sites selected based on 2005-2009 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

The 2005-2009 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.

The 2000-2009 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire, North Dakota and South Carolina.

^f The rates for sex-specific cancer sites are calculated using the population for both sexes combined.

^g IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.